







Knegt Electric Tractors 45 HP and 55 HP







Features

Efficient and durable for all the tough jobs.

- 45 HP and 55 HP
- Working time of 3 to 5 hours per battery
- With the fast charger from 30% to 80% in just 2 1/2 hours
- 1 Year Product Warranty
- Extra battery pack that can be carried in both front linkage and rear linkage
- 45 HP is equipped with 2 powerful electric motors (30hp and 15hp)
- 55 HP is equipped with 2 powerful electric motors (40hp and 15hp)
- Lithium Iron Phosphate Battery
- Four-wheel drive
- Double-acting hydraulics
- Power steering

Extra battery pack

To make the electric tractor even more appropriate, there is the option of an additional battery pack. This additional battery can be attached to the front or behind the hitch. During operation, the external battery is used first. Once empty, the battery can be quickly recharged using a charger. While the external battery is charging, you can continue working as usual thanks to the internal battery. By the time the internal battery runs out, the external battery is fully charged again and you can continue working. An additional battery pack extends your working time up to 9 hours.









Retail Price

Knegt Electric Tractors	Model	Capacity HP	Retail Prices US-\$ as of 10.01.2023
Electric Tractor without Cab	304G2E	45HP	65,293
Electric Tractor with Cab	304CG2E	45HP	72,089
Electric Tractor without Cab	404G2E	55HP	77,336
Electric Tractor with Cab	404CG2E	55HP	84,132
Electric Tractor with Cab + Front Loader	404CG2E	55HP	92,649
Extra Battery - for every model			18,368

S/H extra, Prices are subject to change

The Retail Price for Farmers can be reduced up to 80% or more by using the different Government incentives. Some of the links are on our website page SOLUTIONS. Contact the Government offices in your State to find out what is available.





Typical Applications / Uses

Large Farm or Hobby Farm:

- Barn & Stall Cleaning / Material Handling
- Livestock Feeding
- · Lifting and moving heavy materials
- Plowing
- Cultivating crops
- Crop spraying
- Planting
- Harvesting / hauling produce
- Snow removal
- General property maintenance

Landscape and Nursery Operations:

- Grading
- Excavation and hole drilling
- Mowing
- Clearing brush
- Snow removal
- General property maintenance
- · Lifting and moving heavy materials
- Operating time is sufficient for typical landscape day

Construction:

- Front-end loader and backhoe
- Light excavation and grading work
- Clearing brush
- Lifting and moving heavy materials
- Snow removal
- Operating time is sufficient for typical construction site

Rural / Homesteaders:

- Daily lifting and moving chores
- Mowing
- Clearing brush
- Snow removal
- General property maintenance





Equestrian Facilities:

- Barn & Stall Cleaning / Material Handling
- Maintaining riding arenas
- Clearing trails
- Feeding
- Snow removal
- General property maintenance
- Lifting and moving heavy materials

Golf Course:

- Grading
- Mowing
- Mowing fairways, roughs
- · Maintaining course conditions
- Clearing brush
- Snow removal
- General property maintenance
- Lifting and moving heavy materials

Municipalities / Local Government Agencies / School Boards:

- Road and Parking Lot maintenance
- Snow removal
- Clearing brush
- Garden maintenance
- Landscaping and general maintenance of public areas
- Maintaining sports facilities
 - Mowing
 - Baseball diamond grading
 - Track and field facilities maintenance

General Hobbyist and Enthusiast:

• Any and/or all of the above





Page **6** of **14**

Specifications

45HP (304G2E)

Drive train	4WD	Battery	Lithium Iron Phos
Dimensions (LxWxH)	338 x 156 x 155/242 cm	Capacity	350AH / 500A
	133 x 62 x 61/95 in	Charge Cycle	3.5
Rear axel width	124 cm ~ 49 in	Working time per battery	3 - 6 hours
Front axel width	118 cm ~ 46.5 in	Immediate top up	Yes
Wheelbase	164 cm ~ 64.5 in	Clutch type	Double
Rear axel clearance	29 cm ~ 11.4 in	Gearbox	4 + 4 x 2
Front axel clearance	29 cm ~ 11.4 in	Front tire	6.0-12
Tare weight	1760 kg ~ 3880 lb	Rear tire	11.2-20
Turning cycle	230 cm ~ 90.5 in	Steering	Hydraulic power
Max speed forward	1 km min / 25 km	Brakes	Clutch / Direct
Max speed reverse	1 km min / 25 km	Lifting force (3Pt - 61 cm behind ball) .	432 kg ~ 953 lbs
Motor drive	30 PK	Hitch	3 Pt – Category 1
Motor hydraulic	15 PK	Charger included	220V
PTO	540 / 1000		

55HP (404G2E)

33111 (1313 <u>1</u> 2)		
Drive train 4WD	Battery	Lithium Iron Phos
Dimensions (LxWxH) 383 x 161 x 230 cm	Capacity	350AH / 500A
151 x 63 x 90 in	Charge Cycle	3.5
Rear axel width 140 cm ~ 55 in	Working time per battery	3 - 6 hours
Front axel width 120 cm ~ 47 in	Immediate top up	Yes
Wheelbase 181 cm ~ 71.3 in	Clutch type	Double
Rear axel clearance 37 cm ~ 14.5 in	Gearbox	4 + 4 x 2
Front axel clearance 40 cm ~ 15.7 in	Front tire	7.5-16
Tare weight 2735 kg ~ 6030 lb	Rear tire	12.4-24
Turning cycle 640 cm ~ 252 in	Steering	Hydraulic power
Max speed forward 1 km min / 25 km	Brakes	Hydraulic power
Max speed reverse 1 km min / 25 km	Lifting force (3Pt - 61 cm behind ball)	665 kg ~ 1466 lbs
Motor drive 20 Kw ~ 40HP	Hitch	3 Pt – Category 1
Motor hydraulic 7.5 Kw ~ 15HP	Charger included	220V
PTO 540 / 1000		

The red tractor that thinks GREEN





Page **7** of **14**

Cabin Specifications

Front Loader Specifications

Lift capacity	600 kg ~ 1323 lb
Max. height	269 cm ~ 8.8 ft
Max dump height	193 cm ~ 6.3 ft
Digging depth	15 cm ~ 6 in
Lifting angle	35°
Dumping angle	72°
Joystick	Yes
Parallel Guidance	Yes

Attachments

Half Cab



Front Loader Implements:

Front Loader 30/40 (Stoll)

Front Loader 50 (Stoll)





Page **8** of **14**



3rd Function



Bale Spike (Stoll)



Fork with Grapple



Adapter Frame Skid-Euro



Bucket with Grapple



Manure Fork





Page **9** of **14**





Pallet Forks



Fast Charger



Round Bale Grab



Tool Bar (Category 1 and Category 2)







Page **10** of **14**

Front 3 pt. hitch



Towing Implements

Towbar with Hitch Ball



3-Point Hitch Towbar Cat. 1

Drawbar



3-Point Hitch Towbar Cat. 2






Page **11** of **14**





Height-Adjustable Hitch 30HP, 40HP & 50HP



Augers:

NOTE: Auger bits available in 3 sizes (6ft, 9ft, 12ft) - available separately

PBL (for light work behind small tractor)

PBP (mid-sized version for professional use)





The red tractor that thinks GREEN





Bale Grabber (round and square bales 27" – 63")

Page **12** of **14**

PBPH (HD - equipped with hydraulic cylinder)





Pallet Carrier



Mowers:





Flail Mowers - Side Shift (KMSS 125, 145, 175, 220)



Flail Mowers (KM125, 145, 155, 175, 200 220)



Verge Flail Mowers (KNVM 125, 145)

The red tractor that thinks GREEN





Page **13** of **14**



Verge Flail Mower HD (140HD, 160HD, 180HD)



KNEGT

Woodchipper



Hydraulic Sweepers (VM150, 175, 225)



Manure Slide



The red tractor that thinks GREEN





Page **14** of **14**

Field Harrow



Paddock Leveler



Power Harrow



Stone Burrier



Tip Trailer

